

25X1

**SECRET**

REPORT NO.

COUNTRY East Germany

DATE DISTR. 13 February 1953

SUBJECT Deposits of Nickel Ore and Talcum near Kuhschnappel NO. OF PAGES 1 25X1

DATE OF INFO.

NO. OF ENCLS.  
(LISTED BELOW)

PLACE  
ACQUIRED

SUPPLEMENT TO  
REPORT NO.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

1. A sample of nickel ore was obtained from a prospecting mine near Kuhschnappel (N 51/K 45), Kreis Glauchau (N 51/K 35). The mining district is subdivided into five sections, i.e. Kuhschnappel-East, Kuhschnappel-West, Callenberg (N 51/K 45) in the area of Hohenstein-Ernstthal (N 51/K 55), Kiefernberg, and Limbach (N 51/K 56).
2. According to a report of Jubelt (fnu), geologist-in-charge, the district has the following geological structure: From 0 to 0.5 meters, -humus; from 0.5 to 3.5 meters - loamy surface layer; from 3.5 to 7 meters - lateritic layers, sil - as red rock rich in  $Fe_2O_3$  and rich in loose soil; from 7 to 12 meters - silicophile, partly rocky, partly decomposed as sandy slack - there are silicophite layers up to 0.5 meters thick; from 12 to 20 meters - nickel chlorite.
3. According to Jubelt, the deposits are rich in nickel ore. Mining operations have already started in some regions and the deposits will allegedly fill the nickel requirements of East Germany for decades. The mining of talc and talc ochre (Talkocker) reserves, which are estimated at 290,000 tons and 1,500,000 tons respectively, started in the same district from December 1951 to March 1952.

**SECRET**

[illegible]

25X1

Approved For Release 2004/04/15 : CIA-RDP82-00457R014900290005-5

Approved For Release 2004/04/15 : CIA-RDP82-00457R014900290005-5